

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6165	((717/124-126,149,154) or (714/25-38) or (702/186,196)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/23 09:03
S2	9	S1 and (@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section)) and (decompos\$6 or hierarch\$5 or subdivi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:05
S3	30	(US-6249882-\$ or US-5758061-\$ or US-5673387-\$ or US-5193178-\$ or US-4595981-\$ or US-5805795-\$ or US-5754760-\$ or US-5634098-\$ or US-5335342-\$ or US-5021997-\$ or US-4617663-\$ or US-5005119-\$ or US-6351455-\$ or US-6629267-\$ or US-5561762-\$ or US-4862399-\$ or US-5390193-\$ or US-5159600-\$ or US-6615163-\$ or US-5831995-\$ or US-5542043-\$ or US-6256776-\$ or US-6625760-\$ or US-6601018-\$ or US-6598222-\$ or US-6275980-\$).did. or (US-6237117-\$ or US-5860009-\$). did. or (US-20020066077-\$ or US-20020154712-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/08/23 09:05
S4	8	S2 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:05
S5	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:58

S6	26	((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:43
S7	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S9	18	((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:02
S10	15	(@ad<="20010820" or @rlad<="20010820") and (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:20

S11	1	((@ad<="20010820" or @rlad<="20010820") and (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$))))) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07
S12	34	"4862399".URPN.	USPAT	OR	ON	2004/08/20 16:04
S13	355	(input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07
S14	94	((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07

S15	1	((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or "714"/\$) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:23
S16	7	("4862399" "4996689" "5004978" "5010552" "5027353" "5159600" "5187712").PN.	USPAT	OR	ON	2004/08/20 16:12
S17	11	"5159600".URPN.	USPAT	OR	ON	2004/08/20 16:15
S18	19	"5542043".URPN.	USPAT	OR	ON	2004/08/20 16:17
S19	10	((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp\$4 or apply\$5 or submi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:21
S20	4	(@ad<="20010820" or @rlad<="20010820") and (((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp\$4 or apply\$5 or submi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:22
S21	8	(((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:24

S22	7	((@ad<="20010820" or @rlad<="20010820") and (((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:36
S23	2	((@ad<="20010820" or @rlad<="20010820") and (((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule)))) and ("717"/\$ or "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:23
S24	75	("717"/\$ or "714"/\$) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:24
S25	0	"717"/\$ and ((runn\$4 or appl\$4 or submi\$6) near4 (set near8 (input and submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:34
S26	1	"717"/\$ and ((runn\$4 or appl\$4 or submi\$6) near4 ((input and submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:31
S28	7	(test\$4 or debug\$4 or verif\$7). clm. and ((runn\$4 or appl\$4 or submi\$6) near4 ((minimum or smallest) near8 (output same input)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:36

S29	7	(@ad<="20010820" or @rlad<="20010820") and ((test\$4 or debug\$4 or verif\$7).clm. and ((runn\$4 or appl\$4 or submi\$6) near4 ((minimum or smallest) near8 (output same input))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:04
S31	14	("3795864" "3976826" "4084136" "4357677" "4513288" "5159600" "5311176" "5329279" "5497395" "5542043" "5726925" "5900856" "6069574" "6181310").PN.	USPAT	OR	ON	2004/08/20 16:38
S32	3	((iterativ\$5 or incremental\$4 or recursiv\$5) near3 (isolat\$4 or identif\$4 or detect\$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:12
S33	2	(@ad<="20010820" or @rlad<="20010820") and (((iterativ\$5 or incremental\$4 or recursiv\$5) near3 (isolat\$4 or identif\$4 or detect\$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:32
S34	560	((debug\$4 or test\$4).ab. or ("714"/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:11
S35	126	((debug\$4 or test\$4).ab. or ("714"/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:13

S36	39	<p>(((debug\$4 or test\$4).ab. or ("714"/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<="20010820" or @rlad<="20010820")) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7)))) or "5159600".URPN. or "5542043".URPN. or ("717"/\$ or "714"/\$) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$))))))</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:14
-----	----	---	---	----	----	------------------

S37	14	((((debug\$4 or test\$4).ab. or ("714"/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<="20010820" or @rlad<="20010820")) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) or "5159600".URPN. or "5542043".URPN. or ("717"/\$ or "714"/\$) and (((@ad<="20010820" or @rlad<="20010820") and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and ("717"/\$ or "714"/\$)))))) and "717"/\$ and (debug\$4 and input and log\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:18
-----	----	---	---	----	----	------------------

S38	22	(((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) not Accenture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:29
S41	8	((debug\$4 or (fault near detect\$4)) same (software or module)) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:31
S42	8	(@ad<="20010820" or @rlad<="20010820") and (((debug\$4 or (fault near detect\$4)) same (software or module)) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:58
S43	5	"6249882".URPN.	USPAT	OR	ON	2004/08/20 17:34
S44	13	("5335342" "5634098" "5651111" "5664173" "5740353" "5754760" "5758061" "5805795" "5862362" "5892947" "5905856" "5949999" "6023580").PN.	USPAT	OR	ON	2004/08/20 17:35
S45	4	("5414836" "5455938" "5500941" "5604895").PN.	USPAT	OR	ON	2004/08/20 17:37
S46	18	"5805795".URPN.	USPAT	OR	ON	2004/08/20 17:38
S47	32	"4595981".URPN.	USPAT	OR	ON	2004/08/20 17:50
S51	48	((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:58
S52	43	(@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:22

S53	43	((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 14:40
S54	43	((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:27
S55	38	(((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:38
S56	0	(((((ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (decomposition same test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S57	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S58	168	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:40

S59	12	("717"/\$ and (decomposition same test)) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:40
S60	168	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:10
S61	44	(((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:42
S62	13	(software near5 test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:42
S63	1	(((((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) and ((software near5 test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:08
S64	5	"6249882".URPN.	USPAT	OR	ON	2004/08/21 15:45
S65	13	("5335342" "5634098" "5651111" "5664173" "5740353" "5754760" "5758061" "5805795" "5862362" "5892947" "5905856" "5949999" "6023580").PN.	USPAT	OR	ON	2004/08/21 15:49
S66	8	("4825354" "4945475" "5021997" "5182806" "5230049" "5274803" "5414836" "5421004").PN.	USPAT	OR	ON	2004/08/21 15:54

S67	30	("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.	USPAT	OR	ON	2004/08/21 16:00
S68	32	"4617663".URPN.	USPAT	OR	ON	2004/08/21 16:05
S70	1598	(test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:10
S71	110	((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or ("714"/\$ and software. clm.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:11
S72	38	((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:22
S73	13	"717"/\$ and (decomposition same test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:12

S74	0	((((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:33
S75	1	((((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:33
S76	22	(((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or ("714"/\$ and software.clm.))) and (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:21

S77	14	((((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or ("714"/\$ and software. clm.))) and (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820"))) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:35
S78	30	("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.	USPAT	OR	ON	2004/08/21 16:48
S79	11	"5193178".URPN.	USPAT	OR	ON	2004/08/21 16:58
S80	7	"5561762".URPN.	USPAT	OR	ON	2004/08/21 17:02
S81	6	"6167352".URPN.	USPAT	OR	ON	2004/08/21 17:04
S82	50	"5005119".URPN.	USPAT	OR	ON	2004/08/21 17:16
S83	43	(@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:25
S84	21	(debug or test).ab. and ("717"/\$ or "714"/\$) and (decompos\$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:26

S85	54	<p>(((((@ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or ("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or ("714"/\$ and software.clm.))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:25
Search History 8/25/05 4:34:10 PM Page 15 C:\Documents and Settings\IVU3\My Documents\EAST\Workspaces\09943209.wsp						

S86	48	<p>(((((ad<="20010820" or @rlad<="20010820") and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and ("717"/\$ or "714"/\$ or "345"/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and ("717"/\$ or "714"/\$) and (module same (block or submodule or section))) or (((ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) or (((ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or (("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/\$ or ("714"/\$ and software. clm.))) or (((ad<="20010820" or @rlad<="20010820") and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:39
Search History 8/25/05 4:54:10 PM Page 16 C:\Documents and Settings\TVU3\My Documents\FAST\Workspaces\09943209.wsp						